INDEX

Symbols

#PROJECT 533
ABCDllMode 559
ABCLinkMode 559

Numerics

64k limit
    and OOP 492

A

ABC
    BrowseClass
        ResetFromAsk 78, 80
        SelectWholeRecord 584
        SetQueueRecord 76, 78
        TakeRecord 96
        UpdateBuffer 82
        ValidateRecord 96
    BrowseManager
        Ask 309
        TakeEvent 309
    BufferedPairsClass 485, 499–501
        AddPair 500
        AssignBufferToLeft 477
        AssignBufferToRight 477
        EqualLeftBuffer 473
        Init 500
    BufferedPairsQueue 500
ErrorClass 446, 453
    SetProcedureName
        modified 525
FieldPairsClass 473, 474, 491–499
    499
    AssignLeftToRight 477
    AssignRightToLeft 497
    ClearRight 476, 498
    Equal 499
    EqualLeftRight 498
    Kill 499
FieldPairsQueue 500
FileClass 444
FileManager 468, 479
    AddFileMapping 447
    AddKey 447
    and dynamic indexes 93
    BindFields 461
    Buffer 448
    CancelAutoInc 457
    ClearKey 449
    Close 461, 512
        modified 522
    Construct
        modified 522
    Delete 458
    DeleteRecord 312
    EqualBuffer 454
    Errors 452
    Fetch 61, 96, 462
    FileKeyQueue 447
    GetEOF 450
    GetError 453
    GetField 451
    GetFieldName 451
    GetName 451
    HasAutoInc 448
    Info 449
    Init 446, 448
    Insert 462
    InsertServer 312

KeyToOrder 451
Kill 446, 448
LazyOpen 446
Next 463
NextServer 463
Open 463, 512
OpenServer
Modified 523
Position 464
PrimeAutoInc 458
PrimeAutoIncServer 300, 458
PrimeFields 460
PrimeRecord 460, 486
RestoreBuffer 454
RestoreFile 455
SaveBuffer 455
SaveFile 456
SetError 453
SetKey 452
SetName 452, 595
SetThread 446, 448
theory of operation 443–??
Throw 453
ThrowMessage 453
transactions 312
TryFetch 464
TryGet 464
TryNext 463
TryOpen 446, 463
TryPrimeAutoInc 458
TryUpdate 310, 464
Update 464
UpdateServer 310, 312, 464
UseFile 465, 472, 483, 586
ValidateField 461
ValidateFields 461
ValidateRecord 461
FileManager theory of operation ??–465
FileManger
debugging 521
modified 521
RelationManager 16, 479
AddRelation 469
AddRelationLink 469
CancelAutoInc 470
CascadeUpdates 475, 476
Close 471
debugging 521
Delete 312, 458, 472
DeleteSecondary 473, 475
Init 470
Kill 470
ListLinkingFields 474, 481
LogoutDelete 476
LogoutDeleteClear 475
LogoutPrime 474
LogoutUpdate 476
modified 521
Open 472
OpenCloseServer
modified 524
referential integrity 467
Save 474
SetAlias 470
SetQuickScan 474
theory of operation 467–478
Update 310, 473
UpdateSecondary 477
UseLogout 472
ViewManager
AddRange 481
AddSortOrder 481, 482
AppendOrder 481, 482
ApplyFilter 484, 485
ApplyOrder 484
ApplyRange 485
Close 486
filters 480
GetFreeElementName 488
GetFreeElementPosition 487
Init 482
Kill 483

LimitMajorComponents 481
Next 487
Previous 487
PrimeRecord 485
range limits 480
Reset 486, 488
SetFilter 484, 488
SetFreeElement 481
SetOrder 481, 488
SetSort 486, 487
sort orders 480
theory of operation 479–489
UseView 483
ValidateRecord 487
WindowManager
Init 79, 96, 560, 564
Reset 78, 82
TakeCompleted 310
Update 309
Access 187, 535
ADO
cursor types 105
RecordSet 104
Open 104
ALIAS 569–578
see also file, alias
ANY 496
and CLEAR 498
memory use 497
performance 500
variant 496
APPEND 588
application
design 579
legacy 580
splitting into DLLs 371
array
and many-to-many relationship 12
and one-to-many relationship 23
and relationships, one-to-many 4
reasons for in files 27
vs multiple fields 24
Artigas, Roberto
SQL templates 255
AS-400 209
ASP
standard objects 112
authentication
public key 541
AUTO_INCREMENT 202, 206
autoincrement key
see key, autoincrement
autonumbering
see key, autoincrement 12
server-side vs client-side 303
trigger 302
AyoMSSQL template 378

B

BILF 468
BIND 194
BINDCOLORDER driver string 255, 259
Bomford, Geoff
templates 328
browse
see also ABC, BrowseClass 76
child 583
hidden 17
range limit 581
update
calling 581
BrowseClass
see ABC, BrowseClass
BUFFER 192
BUILD 92, 94, 589
business logic
and stored procedures 391
business rules 33, 317

C

CDD

browse engine 495
CDSWrapper 533
CheckOpen 512
child record
entering 64
CHOOSE 452, 484
Clarion
standard date
converting to SQL 154
standard time
converting to SQL 154
Clarion standard date
converting to SQL 506
CLASS 559
class
creating
ABC compatible 558
design 580
TYPE 559
CLEAR
and autoincrement 516
key 515
vs &= NULL 498
Client/server 143
CLOCK 303
CLOSE
file 511
code abstraction 494
COMMIT 303, 305
ConcatGetComponents 459
concurrency
pessimistic
in Oracle 307
constraints 299
see referential integrity 6
server-side vs client-side 296, 299
control file 18, 516, 549–564
and FileManager 556
GET vs SET 551
maintaining 552
vs INI 550
CREATE 510
Crystal Reports 187
cursor 307

D

data
converting
with DTS 341–355
with linked server 357–369
normalizing
see normal form
database
audit trigger 417
design 1–8
relational 3
secure access 537–544
database synchronizer 358
DB2
see also SQL
trial edition 172
DCOM
and Windows 95 184
debugging
table opening/closing 519–527
deep assignment 495
dictionary
changing 565–568
IDENT 565
synchronizer 178, 329
dictionary synchronizer 188, 190–??
dirty read 309
DLL
calling non-Clarion 530
data 371
data and SQL 371
sharing variables 598
DLLs
splitting application into 371
driver name 176
driver string

BINDCOLORDER 243, 255, 259
GATHERATOPEN 189
JOINTYPE 243
LOGONSCREEN 189
SAVEDSTOREDPROC 189
TRUSTEDCONNECTION 189
USERINNERJOIN 244
VERIFYVIASELECT 244
drop box
file loaded 74
DTS
package 342
as stored procedure 351
creating 347
process flow 346
see MS SQL
DTS
VBScript example 353
DumbDict 328
dummy table
see also temp table 382
DUP 5
DUPLICATE 588
duplicate record detection
see record, detecting duplicates
dynamic index
see index, dynamic

E

Entunnel 537–544
EVENT
Timer 590
Excel 187
converting to SQL 364
reading TPS files with 100

F

Ferrett, Scott 184
field
default values in SQL 331
eliminate repeating 23
hiding on form 16
initial value 319
linking 5, 32
naming convention 22
priming on insert 15
fields
linking
with keys 33
fifth normal form
see normal form, fifth
file
alias 569–578
and FileManager 575
and NAME 574
and RelationManager 575
automatic 585
buffer 576
creating 571
potential problems 577
using 577
create 510
multiple copies 594
open 510
pathname 321
file loaded drop box
see drop box, file loaded
FileManager
AddKey 93
see ABC, FileManager
filter
using dynamic index 95
Firebird 146
see also SQL
data types 201
first normal form
see normal form, first
foreign key 6, 156
see also SQL, foreign key 156
see key, primary
form

on browse window 8
fourth normal form
see normal form, fourth

G

GATHERATOPEN driver string 189
GET 155, 513, 591
and control file 516
syntax 516
GlobalRequest 562
GROUP
and date/time 155

H

Hoffman, Rick 184

I

IDENT
see dictionary, IDENT
IIS 110
index
dynamic 91–96
declaring 92
filtering records 95
multiple users 92
speed 93
use in ABC templates 93
vs key 40
Interbase 146
Inventory application 319
ISAM
converting to SQL
see SQL
converting to

J

jgNextID stored procedure 401
JOIN 159
JOINTYPE driver string 243

K

key
see also ee also primary key 187
autoincrement 12, 68, 162, 163, 165, 200, 202, 239, 266, 270, 280, 281, 286, 322, 458–462
and templates 55–57
client-side vs server-side 282
in Oracle 299–303
server-side 163, 255, 262
case sensitivity 324
clearing 515
foreign 6, 56
primary 5, 40, 56, 68
in SQL databases 69
surrogate 32, 86
unique 5
using DATE() and CLOCK() 188
vs index 40
when to use 91
keys
linking 33

L

labels 569, 593
lazy open 520
problems with 521
LazyOpen 472
linked server
converting data 357–??
linking field
see field, linking
Linux
firewalls 224
installing 222
MySQL 221
window managers 223
LOGONSCREEN driver string 189
LOGOUT 303, 305

M

many-to-many
    displaying 67–83
many-to-many relationships
    see relationship, many-to-many
many-to-one relationship
    see relationship, one-to-many
MAP 559
MDAC 533
MEMBER 559
memo
    converting to SQL 180
Microsoft SQL Server
    see MS SQL
MS Excel 362
    linked server 362
MS SQL 146, 183, 317–340, 341–355, 357–369, 371–397, 399–404, 405–414, 415–427, 437
    see also SQL
    and Windows 95 213
    autonumbering
        via stored procedure 400
    autonumbering code 325
    Books Online 334
    cascade delete 188
    CAST() 335
    connection string 325, 378
    constraints 338
        problems in Clarion 338
    CONVERT() 335
    converting to 317–340, 341–355, 357–369
    CREATE DATABASE 329, 413
    CREATE PROCEDURE 391
    CREATE TRIGGER 416
    CREATE VIEW 366
    Data Transformation Services
        see MS SQL, DTS
    data types 201
    database
        create programmatically 406
    Database Designer 333
    date
        parsing 335
        problems with 334
    date filtering 505
    DATEPART() 335
    DTS 341
        converting Oracle to Sybase 342
    DTS Designer 334
    Enterprise Manager 332
    GETDDATE() 334
    IDENTITY 399–404
    OLE DB provider 343
    OSSQL 330
    Profiler 387
    Query Analyzer 332
    security
        Mixed Security Mode 325
        Windows Authentication Mode 325
    stored procedures 371–397
    trigger 214
    trusted connection 380
    View Designer 333
    vs Sybase 210
MS SQL Server
    trial edition 168
MSDE 212
    trial edition 169
MyFileManager 558
MyODBC 222, 235, 243, 543
    BINDCOLORDER driver string 243
    data source 257
    installing 235
    installing update 255
MySQL 146, 221–239, 241–??, 243, ??–245, 247–264, 265–272, 437, 439
    see also MyODBC
    see also see also MySQL, privileges 224
    see also SQL
    administering 227
    atomic operations 248

AUTO_INCREMENT 156, 202, 206
BDB (BerkeleyDB) tables 249
benchmarks 263
browse speed 271
building from source 227
comparison with other databases 242
connection problems 238, 244
constraints 264
database
    copying to another server 265
    create 232
    InnoDB 252
    select 232
db table 231
foreign keys 264
Gemini tables 249
GRANT 256
HEAP tables 249
hosts table 231
importing tables into Clarion 238
InnoDB tables 250
installing 225
ISAM tables 249
large tables 265–272
last_insert_id() 262
LIMIT (on select) 271
Max
    installing 251
MERGE tables 249
MyISAM tables 248
mysql_install_db 252
mysqladmin 227, 251
    syntax 233
mysqld process 252
mysqldump 267
mysqlshow 228
ODBC
    see MyODBC
on Linux 221
performance 263
privileges 231, 256
    rc.local configuration file 252
    remote access 232
    replication 242
    root user 230
        password 230
    SHOW TABLE STATUS 266
    starting 228
    subselects 247
    table
        copying to another server 265
        importing, problems with 258
        maximum size 241
    table types 248
    transactions 242, 247–??, 260, ??–264
    user table 229
    USERINNERJOIN driver string 244
    VERIFYVIASELECT driver string 244
    vs “real” SQL servers 244
    vs PostgreSQL 273
    vs TPS 244
MySQL
    data types 201
MySQL Manager 239

N

NAME 569, 593–600
    and file alias 574
naming convention 323
    MS SQL stored procedures 392
network traffic
    minimizing 165
NEXT 512, 514
NOCASE 177
normal form
    fifth 49–53
    first 21–27
    fourth 45–47
    second 29–37
    third 39–43
normalization 342

see also normal form
overdoing 86
normalized data
displaying 55

O

ODBC
Administrator 98
autocommit 311
ConfigDSN 530
connection strings 111
creating data sources at runtime 529–536
ODBCINST.DLL 531
SQLConfigDataSource 530, 534
SQLDataSources 534
SQLDrivers 534
SQLInstallerError 534
TPS driver 97–101, 110
DATE and TIME conversions 100
developer version problems with ASP 110
OLE DB providers 343
oleTclType 106
ONCE 559
one-to-many relationship
see relationship, one-to-many
one-to-one relationship
see relationship, one-to-one
OPEN
access mode 511
file 510
Oracle 146, 295–298, 299–303, 305–313, 437
see also SQL
ADD CONSTRAINT 296
concurrency
optimistic 307
pessimistic 307
concurrency control 307
converting data with DTS 342
CREATE TRIGGER 297
FOR UPDATE 307
IDENTITY 300
referential integrity 295–298
scalability 211
transaction
read committed 309
roll back 306
SAVEPOINT 306
serializable 309, 311
transactions 305–313
trial edition 171
update cascade workaround 297–298
view 313
viewing changed records 308
OROF
vs OF 485
OVER 155
OWNER 176, 180, 189, 194, 321, 532

P

performance
and table opening 520
keeping tables open 520
Pervasive
autonumbering code 328
trial edition 172
phantom read 309
POINTER 155
vs POSITION 517
pool data 5, 10
port forwarding 542
POSITION 592
vs POINTER 517
PostgreSQL 146, 273–291, 437
see also SQL
administering 286
ALTER USER 290
and Windows 274
authentication 289
book review 431
cast operator 282

connecting remotely 287
CREATE USER 289
createuser script 289
customizing 432
data types 201
database
connecting to 278
creating 278
DROP SEQUENCE 281
function overloading 282
generator 202
initdb 274
nextval 281
pg_ctl 275
pg_hba.conf 288
postgres.conf 287
postmaster 275
psql 275
commands 276
restarting 288
root user 278
security 287
sequence number generator 280
vs client-side autonumber 282
setval() 283
SSH tunneling 289
starting 275
stopping 275
TCP/IP 287
tcpip_socket 288
triggers 285
VACUUM 432
version 279
vs MySQL 273
POSTQUEL 273
Pressnell, Dan
SQL utility 405
PREVIOUS 513, 514
PRIMARY 68
primary key 5, 239
see also key, unique 187
see also SQL, primary key 155
see key, primary
process
alternatives in SQL 306
PROP
Completed 589
Components 93
Disconnect 181
Filter 451
Handle 531, 534
Key 589
Keys 589
Label 448
ORDER 212
ProgressEvents 589
SQL 164, 191, 213, 262, 271, 301, 380, 384, 387, 405
and reports/lookups 216
procedure wrapper 409
SQLFILTER 212, 216
Value 454

R

range limit
file relationship 71, 74
RECLAIM 189
and SQL 177
RECORD 569
record
changed by another station 50
deleting, consequences of 87
detecting duplicates 587–592
identifying user 86
record initialization 457
RECORDS 92
referential integrity 6, 177, 295–??, 298–??, 317, 331
see also relationship 157
and templates 582
Cascade constraint 6
constraints

see constraints 295
Delete constraint 6
MS SQL and cascades 188
RelationManager 467
Restrict constraint 6
Update constraint 6
REGET 517
RelationManager
see ABC
RelationManager
relationship 67–83
see also referential integrity 157
constraints 69
defining in dictionary 14
diagramming 11
many-to-many 9–18, 42
creating in dictionary 11
described 68
displaying with check box list 75–80
displaying with form and lookup 69–75
displaying with selection pool 80–83
linking table 12
one-to-many 6, 23–??, 23, ??–27, 583
displaying 25
one-to-one 49–53
harmful 49
repeating fields 23
RequestCancelled 80
RequestCompleted 80
RESET 517, 591
ROLLBACK 305
Ruby, Tom
DumbDict 328

S

SAVESTOREDPROC driver string 189
second normal form
see normal form, second
Secure Shell
see also SSH 537
see normal form, third
SELECT
into QUEUE 394
SET 96, 512
syntax 513
SetThread 455
Smart NAMEd Table Theory 382
Sorzano, Troy 382
SQL
see also DB2
see also ey
see also foreign key
see also Firebird
see also MS SQL
see also MySQL
see also Oracle
see also PROP, SQL
see also PROP, SQLFILTER
see also ts
see also constraints 157
ALTER TABLE 266
and CPCS Reporting Tools 193
and data DLL 371
and LSPack 193
and parent-child relationship 200
and Princen-IT Sendmail 193
and processes 200
and Sterling Data templates 193
and VIEW 217
autoincrementing values 202
batch inserts 269
BETWEEN 505
BINDCOLORDER driver string 259
BLOBs 201
book review 433, 437, 439
browse speed 211
CALL 192
converting DATE and TIME to DATETIME 186
converting memo 180
converting MEMO to STRING 186

converting to 175–181, 183–195
CREATE DATABASE 148, 232, 329
CREATE INDEX 286
CREATE TABLE 153, 264, 280, 284, 352
CREATE VIEW 313
CSTRING vs STRING 186
cursor 307
data conversion program 178
data integrity 144
data types 153, 201–202
    Clarion equivalents 184
    conversion 154
    DATETIME 154
    TIMESTAMP 154
database
    creating 148
    maintenance 151
date
    converting from Clarion Standard 506
dates 154
dates and times 177, 202
DATETIME vs DATETIMESTAMP 186
default values in Clarion dictionary 331
DROP TABLE 281, 352
dummy table 378
execution plan 434
EXPLAIN 432, 440
FASTFIRSTROW 191
force uppercase 210
GATHERATOPEN driver string 189
group in key 178
groups in 319
index
    5
    and case sensitivity 198
    date fields in 198
    defining in dictionary 158
integer size 201
introduction 141
JOIN 161, 366
    OUTER 161
key
    autoincrement 197
    case sensitivity 177, 187
key as relationship 157
key vs index 156
LIKE 199
locator
    filtered 199
logging 151
logon procedure 193
LOGONSCREEN driver string 189
mass update 368
mass updates 162, 198
memos 176
NOLOCK 191
NORESULTCALL 192
ORDER BY 158, 212
performance 5, 391
performance issues 198
primary key 155, 159
    see key, primary
quick scan option 194
referential integrity 163
resources 195
SAVESTOREDPROC driver string 189
scalability 145
SELECT 160
    into QUEUE 406
SELECT INTO 367
server hints 191
server-side autoincrement 162
speed advantages 143
standards 145, 202
stored procedure 191
stored procedures 164, 371–397
STRING vs CSTRING 176
subselects 147
support in Clarion 145
switching to/from TPS 159
table
    close 381

open 381
times 154
triggers 164, 285
TRUSTEDCONNECTION driver string 189
tuning 433
unique key 177
views
importing 191
vs flat file databases 142
vs non-SQL 159
WHERE 505
SQL Server
see MS SQL
SQL99 438
SQLTransact 261
SSH tunneling 537–544
sshd 538
standard date
see Clarion, standard date
standard time
see Clarion, standard time
STATIC 595
stored procedure
autonumbering 400
creating 391
stored procedures 371–397
and business logic 391
see SQL, stored procedures
Stupid Temp Table Theory 382
surragate key
see key
surrogate
Sybase 146
and Clarion 216
and symmetrical multiprocessing 215
converting data with DTS 342
trial edition 170
trigger 214
vs MS SQL 210
Sybase Central 150
synchronizer
see dictionary, synchronizer

T

temp table
see also dummy table 382
smart 382
stupid 382, 406
template
AyoMSSQSL 378
continuation symbols 562
language
#ADD 533
#ATSTART 561
#EXTENSION 561
APPLICATION 561
MULTI 561
#PROMPT 561
symbol
%File 562
%Primary 562
symbols
%CustomGlobalMapModule 533
%CustomGlobalMapProcedure 533
%CustomGlobalMapProcedureProto-type 533
writing 560
third normal form
ThisWindow
see ABC, WindowManager
TopScan 587
total field 17
TPS
accessing via ASP 109–115
combined files 596
converting to SQL
see SQL
converting to
driver error codes 119–120, 136
file corruption 119, 125–127, 129–136
network redirector
detecting version 136

disable caching 135
installing patch 119
ODBC driver 344
ODBC driver, *see* ODBC, TPS driver
performance
multi-user 303
super files 596
using example files 117
TPS files
indexing 91
reading with Excel 100
TPSFix 117–118
transaction
and FileManager 312
transactions
Oracle 305–313
trigger
see also SQL, trigger
autonumbering 302
client-side 545–547
definition 416
MS SQL 214
see also SQL, trigger
server-side 545
Sybase 214
triggers 297
see also SQL, triggers 164
advantages 415
client-side 415
server-side vs client-side 415
TRUSTEDCONNECTION driver string 189

U

unique identifier 3
unique key 5, 322
see key, unique
UNTIL loop 452
user
identifying 86
USERINNERJOIN driver string 244

V

validation 457
VBScript 109
and DTS 353
VERIFYVIASELECT driver string 244
VIEW 158, 159, 583
and PUT 312
and SQL 217
view
Oracle 313
when to use 91
ViewManager
see ABC
ViewManager

W

WHAT 411, 448
WHILE loop 452
WHO 412
Windows 95
installing DCOM updates 184

Y

YIELD 302

Z

zip code database 343
Zonkers, Screaming Yellow 51