

INDEX

Symbols

&=NULL, and GPF 514

&CSTRING 374, 383

see also CSTRING

getting size 384

length of 378

limitations 375

size of 378

&STRING 374

see also STRING

length of 378

limitations 375

size of 378

*CSTRING

see also CSTRING

return type 369

*STRING

see also STRING

getting size 384

:= (deep assignment) 276

__declspec 291

__stdcall 289

_strtok 477

A

ABC

Browse

redisplaying record 47

template 110

BrowseClass 394

ApplyFilter, derived 42

deriving 33, 39, 185

ResetFromAsk 47

SetQueueRecord 43, 52

overriding 44

BrowseClass.SetQueueRecord 135

BrowseClass.TakeNewSelection 52

FileDrop, template 110–120

FileManager 33, 41, 51, 159, 161, 217, 240

Deleted 181

overriding 181

DeleteRecord 179

overriding 179

deriving 179–182, 183–187

in multi-DLL applications 182

passing as parameter 461

INIClass 315

deriving 316

Fetch 268

Update 272

ProcessManager

TakeRecord 277

ValidateRecord 193

RelationManager 161

ReportManager 255

ThisWindow

AddItem 141

AskPreview 255, 256, 491

Init 70, 423, 485

Kill 485

Reset 545

Run 456, 491

TakeEvent 419

WindowComponent 284

WindowManager 135, 137

AddItem 284

Init 15, 22, 23, 44, 51, 268

Kill 22, 268, 272

PrimeFields 271

TakeEvent 19, 111

- TakeFieldEvent 111
- TakeWindowEvent 15
- WindowManager.AddItem 138
- WindowManager.Kill 121
- WindowManager.TakeFieldEvent 121
- WindowManager.TakeWindowEvent 107

ABCs As External option 586

accelerator key 6

address

- blank lines 534
- handling 467, 533, 537
 - class 537

alias, field 163

ANY 394

- disposing 162
- GPF 513
- limitations 450

AnyAsciiFileClass 195, 202

- ABC compatible version 217

API, *see* Windows API

application

- splitting into DLLs 583
- version tracking 563

applications, self-upgrading 561

array

- associative 339, 350
- bounds checking 204
- OVER STRING 349
- speed vs QUEUE 324

ASCII file

- Ctrl-Z end of file 222
- field delimiter 221
- field enclosing characters 221
- filtering 223
- flushing 222
- parsing record 201
 - class 209
- reading 196
- variable record layout 221
- wrapper class 195
 - ABC compatible 217

- writing 197

ASCII files 167

- performance 167

assembler 483

ASTRING 385

atomic string, *see* ASTRING

AUTO attribute, effect on performance 327

AWK 338

B

back door, creating 489

BAND 104, 490, 491, 492

BASIC file

- see also* ASCII file
- wrapper class 217

BeginPaint 95

big-oh notation 322

binding

- early 392
- late 392

Bit Block Transfer 92

BitBlt 93

BitList control 61

bits, storing in LONG 61

blitting 92

BOR 108

BOX control 78

browse

- see also* ABC, BrowseClass
- see also* listbox
- checkbox in 31, 39, 49
- column resizing 19
- filtering, using MATCH 549
- header image 11–23
- highlighting marked records 148
- marking 143
- sorting 11
- tagging 149
 - saving in file 151
 - saving in queue 152

- BrowseClass, *see* ABC, BrowseClass
- BrowseFilterDeleted class 185
- bugs, avoiding 443
- builtins.clw 364
- button
 - flat 6
 - menu 3–9
 - transparent 3, 6, 14
- BXOR 17

C

- C calling convention, *see* calling convention, C
- C++
 - abstract base class 285
 - interface 283
 - standard template library 288
 - TopSpeed 285
 - virtual method, and abstract base class 285
- calculator
 - class 353
 - template 353
- CALL, alternatives 480
- callback event 101
- callback function 305
- CallDllCl class 480
- calling convention
 - C 480
 - Pascal 482
 - TopSpeed 482
- CallWindowProc 20, 103, 108, 433
 - GPF 435
- CASE 473, 492
 - instead of nested IF 473
- cciAddressClass 538
- cciBrowseClass 34, 39
 - source code 39
- cciBrowseClassB 50
- cciCStringFactory
 - class 368
 - thread safety 370
- cciFixedRecordClass 210
- CenterPoint DOM parser 367
- CFileMapping class 310
- CHAIN 320
- checkbox
 - BitList 61
 - edit-in-place 25
 - template 238
 - transparent on browse 29
- CHOOSE 16, 53, 55, 323, 324, 362, 391, 467–471, 474
 - and EVALUATE 471
 - performance 469
 - potential problems 468
 - shorthand form 471
- Cla\$NewMemZ 507
- CLAS\$PushLong 505
- Cla\$REGULAR 555
- Cla\$SORTqueuefkey 313
- CLAS\$START 486
- CLACASE environment variable 335
- Clarion
 - and web access 569
 - date, standard 125
 - standard time 413, 420
 - midnight rollover 420
- Clarion standard date, *see* date
- Clarion standard time
 - see also* time
 - midnight rollover 423
- class
 - converting code to 355
 - deriving 317
 - deriving in IDE 57
 - wrapper template 231
 - creating 231
- CLEAR
 - and GPF 514
 - effect on &CSTRING 379
 - effect on &STRING 379
- CLIP

- and empty string 470
 - performance 469
 - performance issues 471
- code, optimizing 330
- color pool 73
- ColorDialog 73
- COM
 - and UUIDs 480
 - attribute 289
 - creating object 604
 - documentation in MS Word 605, 610
 - object browser in MS Word 605
 - uses 165
- combined date and time 421
- command line arguments 195, 570
- CompareProcedure 313
- conditional compile 522
- console applications, creating with Clarion 572
- ContainsMatch 321
 - internationalization 331
- control
 - as window 16
 - color pool 73
 - creating at runtime 6, 110–122, 136, 140
 - custom 97
 - handle 7
 - moving with mouse 112
 - positioning at runtime 29, 137
 - unhiding 136
 - WindowProc 22
 - word wrapping 426
- conversion program 173
- converting to SQL 169
- copy fields between files 277
- CREATE 6, 133, 136, 137, 138
- CreatebrushIndirect 93
- CreateCompatibleDC 92
- CreateEllipticRgn 68
- CreateFile 168
- CreateFileMapping 307
- CreatePolygonRgn 72

- CreateRoundedRectRgn 72
- CreateSolidBrush 74
- CSTRING 383
 - see also* &CSTRING
 - array vs QUEUE 384
 - length of 378
 - literal 370
 - returning from function 369
 - size of 378
 - vs STRING 373
- CSV file
 - see also* ASCII file
 - wrapper class 217
- Ctrl-Z end of file 222
- cursor
 - cross 139
 - eye dropper 80
 - wait 85

D

- data
 - converting 175
 - STATIC 348
- data storage, saving boolean values in a LONG 61
- database, via cable modem 50
- database synchronizer 172
- date
 - calculating 413
 - checking 293
 - Clarion standard 125
 - combined with time 421
 - converting from Excel 125
 - incorrect, detecting 296
 - locking 294
 - StarDate 421
 - timeout 295
- DC, *see* device context
- DDB, *see* device dependent bitmap
- debugger, detecting 522

- debugging
 - creating log 521
 - DebugView 521
 - techniques 515
 - trace file 347
 - with MESSAGE 515, 521
 - with PROP:Text 515
 - with STOP 515, 521
- DebugView 521
- deep assignment 275
- DeleteObject 74, 92
- demo application, timing out 295
- design, user interface 3
- device context 75, 91
 - drawing with 75
 - stock objects 75
- device dependent bitmap 90
- device independent bitmap 89
- DIB, *see* device independent bitmap
- DISPOSE 377
- DLL
 - 32 bit dereference 587
 - adding to application 586
 - and easier distribution 584
 - and faster development 584
 - calling order 525
 - circular calls, detecting 525
 - creating 583
 - global 584
 - loading 480
 - passing parameters to functions 480
 - memory allocation 509
 - procedure, getting address of 482
 - program 584
 - splitting application into 583
 - STARTing procedures in 484
- dot syntax 445, 519
- drag and drop 132, 139, 141
- driver string
 - FILEBUFFERS 167
 - QUICKSCAN 168

E

- early binding 392
- EditFileClass 57
- edit-in-place 25, 31, 49
 - checkbox 25
 - checkboxes 31, 49
 - file lookups 57
- editor, customizing colors 579
- EIP, *see* edit-in-place
- embed point
 - and EXTENSION template 191
 - creating 114, 227
- encryption 294
- EndPoint 95
- EQUATE, and omittable parameters 443
- EVALUATE 223
 - and CHOOSE 471
- EVENT
 - Accepted 6, 7, 46, 55, 80, 84, 139, 558
 - CloseWindow 80, 107
 - ColumnResize 19
 - Drag 139
 - Drop 139
 - GainFocus 107
 - MouseMove 80
 - Moved 124
 - Sized 124
 - Timer 300, 419, 420, 421, 422
 - User 21, 23
- Excel
 - dates 125
 - displaying DLL calling order with 526
 - spreadsheet 127
 - viewing data in browse 127
 - viewing template symbols in 248
- EXECUTE 6, 7, 107
- Expat SAX XML parser 291
- export
 - from DLL 584–586, ??–588
 - to TXA 257

TXD 170
extern C 287
EXTERNAL, and multi-DLL applications 585
EXTRACT 119

F

field

- finding name 279
- naming 279

file

- see also* table
- class wrapper for 157
- driver name 170
- format, generic 165
- mappings 303, 307
- multiple formats 157
- OWNER attribute 170

FILEBUFFERS driver string 167

FileDrop, *see* ABC, FileDrop

FileManager

- deriving 218
- see* ABC, FileManager

FileManagerDelete class 183

filter 177

FldMgrCl class 161

fn_split 466

FreeEnvironmentStrings 380

function

- see also* *see also* library
- callback 305
- calling as procedure warning 459
- creating library 361
- library 466
 - creating 466

G

gender

- guessing 337
- accuracy 348

Generate All File Declarations option 586

Generate Template Globals option 586

generic file format 165

GetComputerName 564

GetCursorPos 74

GetDC 74, 91

GetDesktopWindow 91

GetDeviceCaps 74, 78

GetEnvironmentStrings 380

GETINI 268, 273, 316, 545, 546

GetLastInputInfo 304

GetModuleHandle 481

GetPixel 74

GETPOSITION 6

GetProcAddress 482

GetStockObject 74

GetTickCount() 306

GetWindowRect 6, 7, 68, 74

GlobalAlloc 168

GPF

- ANY, main cause 514
- when calling CallWindowProc 435
- when calling DLL functions 483
- when unloading DLL 487
- when using DLL in C5B 487
- when using reference variable 375, 380, 384
- when using static data 21
- when using TYPED QUEUE 117
- when writing system variable 309
- with ANY 513
- with QUEUE 513

GROUP

- BEVEL attribute 7
- BOXED attribute 7
- cast to &CSTRING 380
- cast to &STRING 380
- in key 172
- over STRING 205
- passing parameters as 51

H

heap memory 497–512
 allocating 506
 uses 512
hook
 keyboard 306
 system 303–311
 system-wide 304

I

icon, window 99
IDLE
 definition 417
 implementation 419
idle time, detecting 303
image
 aspect ration 84
 blend color 95
 displaying 83
 dither color 95
 drawing on 89
 erasing 95
 invalidating 96
 on browse header, *see* browse, header image
 scrolling 83
 scrolling 94, 430
 smooth redraw 96
 zoom 95
ImgDispCl class 93
import, from TXA 258
INI file 267, 315
 see also ABC, INIClass
 browse/form 318
 parsing with `_strtok` 478
 using TopSpeed files 315
INIClass, *see* ABC, INIClass
INSTRING, vs MATCH 550
interface 112, 283–292
 and multiple inheritance 284

C++ 283
 calling DLL 288
 Clarion to MS Visual C++ 288
 Clarion to TopSpeed C++ 285
 definition 284
 FileManager 218
 TopSpeed C++ to Clarion 287
internationalization 331
InvalidateRect 11, 15
InvalidateRectangle 94
ISALPHA 333
ISAM, converting to SQL 169
IsDebuggerPresent 522
ISLOWER 333
ISUPPER 333
ITEMIZE 443
 and omissible parameters 445

J

JOIN 50, 136
JSRedirClass 590
JSStringWrapClass 427
 template 428

K

kernel memory file 308
key, use of GROUP in 172
KEYCODE 489
KEYSTATE 489
keystrokes, monitoring 304

L

late binding 392
LEN, vs SIZE 377
LIB, creating 361
library
 adding function to 364
 creating 361
 function 466

- using 365
- LINK attribute 301
- Linked Server 127
 - creating 128
- linker
 - and LIBs 527
 - duplicated symbol error 588
 - unresolved external error 588
 - unresolved for export error 588
- linking
 - and shared data 306
 - including resources 301
- listbox
 - see also* browse
 - cloning 109
 - column resizing 19
 - creating at runtime 133
 - header image 11–23
 - marking 143
 - sorting 11
- LoadImage 100, 108
- LoadLibrary 480
- LOOP
 - breaking out of 387
 - instead of IF 403
 - nested 387

M

- many-to-many relationships, *see* relationships,
- many-to-many
- MAPI, MSDN information 604
- MapViewOfFile 307, 309
- MATCH 339, 549
 - see also* regular expressions
- matching strings 321
- math
 - dates and times 413
 - Max 361
 - Min 361
 - rounding 96

- Max 361
- MAXIMUM 347
- memcpy 488
- memory, shared 306
- memory leak 42, 92, 162, 367, 377, 383, 497, 507, 511
- menu
 - button 3–9
 - popup 3–9, 103
- method
 - creating new in IDE 58
 - deriving, with template 116, 119
- midnight rollover 420, 423
- Min 361
- minimizing storage 383
- module
 - C++ 286
 - data 105
 - map 22
 - preventing repopulate 105
 - Windows API 74, 100
 - Windows API 12
- MoveWindow 96
- MulDiv 96
- Multibox class 111
 - template 113

N

- name
 - decoration 290
 - mangling 286, 289, 291, 485
- names, frequency distribution 349
- naming convention
 - C 286
 - C++ 286
- NEW 377
- NewControl class 111
- NUMERIC 333

O

ObjectWriter 355

OCX

web browser, using 557–559

OLE 557, 603–610

creating control 604

error messages 604

executing commands 604–609

OMITTED 454

and class methods 447

and ITEMIZE 445

example 444

parameter 443

passed by address 449

strings 449

Open Clarion Project 340

optimize, string handling 469

Outlook

finding data in 609

importing contacts 604

reading from 603–606

storing appointment in 607

storing task in 608

writing to 606–610

OVER

attribute 78

attribute 205–207

inspecting with WHO 397

P

Pakin, Scott 337

parameter

see also prototype

generalized structure 393

object 461

omittable 454

OMITTED 443

and class methods 447

passed by address 449

placeholder 456

strings passed by address 449

passed in register 483

passed on stack 289, 483

passing 451

passing by address 459

passing complex structure 463

passing to threaded procedure 456

QUEUE 463

reference 459

passing to Windows API 465

specialized structure 393

value 452

variable 376

vs global variables 452

parentheses, altering return type 379

parsing class 210

PASCAL attribute 8, 20, 22, 70, 74, 103, 286, 381, 564

Pascal calling convention, *see* calling convention, Pascal

Perl 340

PHP

calling Clarion application 569

executing commands 575

writing scripts 574

phrase generator 601

POINT 77

pointer 12, 20, 374, 507

and reference variable 162, 380

dll function 509

heap 506

stack 484, 498

polymorphism 454

POPUP 6, 107

see menu, popup

Portable Executable File Format 509

POST 6, 19, 80, 104, 107, 558

pragma, wgnu 517

primary key 33, 40, 117, 150

see also unique key

PROC attribute 71, 459

- procedure
 - local 462
 - PROC attribute 459
 - return value 457
 - optional 458
 - returning multiple values 460
- procedure parameter, *see* parameter
- procedure prototype, *see* prototype
- ProcessManager, *see* ABC, ProcessManager
- PROJECT 136
- project
 - 32 bit 69
 - debug settings 384
 - defines 518
 - DLL 585
 - properties 17
 - redirection 589–593
- PROP
 - AcceptAll 111, 141
 - Alias 396
 - AppInstance 101
 - At 121
 - Bevel 6
 - Boxed 6
 - Buffer 15
 - ClientHandle 96, 431
 - ClientWndProc 432
 - Components 401
 - Create 604, 607, 608
 - Deactivate 609
 - Disconnect 175
 - DragID 138, 139
 - DropID 138
 - Field 401
 - Fields 395, 396, 397
 - Fill 80
 - FillColor 138
 - Filter 186, 223
 - FontColor 87, 88
 - FontSize 138
 - Format 137
 - From 137
 - Handle 23, 71, 90, 102, 431
 - Height 124
 - Hide 107
 - HScrollPos 430
 - Icon 16
 - Iconize 107
 - IconList 44, 54
 - Items 17
 - Label, vs WHO 396
 - Lable 401
 - Mark 143
 - NoHeight 85
 - NoWidth 85
 - Over 397
 - Palette 79
 - Release 609
 - ReportException 604, 607, 608
 - Scroll 6
 - SQLFilter 177–178
 - and ABC 178
 - Text 6, 29, 79, 83, 87, 474
 - and debugging 515
 - Timer 423
 - Trn 29
 - Type 88, 397, 401
 - Use 88
 - VScrollPos 94
 - Width 124
 - WndProc 19, 20, 22, 106, 431
 - XOrigin 430, 435
 - XPos 124
 - in reports 546
 - YOrigin 435
 - YPos 124
 - in reports 546
- PROPLIST
 - Icon 44
 - MouseDownField 17, 46, 55
 - MouseDownRow 46, 55
 - MouseDownZone 17, 18

- MouseUpField 46
- MouseUpRow 46, 55
- Width 16
- PROPPRINT, Device 272, 544, 545, 546
- prototype
 - see also* parameter
 - creating in the IDE 453
 - syntax 439, 444
- PUTINI 273, 316, 544, 545

Q

- QUEUE 405
 - as control file 409
 - ASCII file from 408
 - creating with template 192
 - definition 406
 - displaying 412
 - GPF 513
 - speed vs array 324
 - TYPEd 110, 133, 368, 464
 - use in reports 407
- queue
 - custom sorting 313
 - disposing 162
- QUICKSCAN driver string 168

R

- random phrase generator 601
- RAW attribute 8, 70, 286, 381, 564
- ReadFile 168
- record
 - deleted
 - filtering 185
 - recovering 179–182
 - deleting 179, 183
 - filtering duplicates 189
 - locating 177
 - recovering deleted 183
 - validating 192
- recovering deleted records 179–182, 183

- RECT 5, 7, 12, 68, 77
- Rectangle 74
- redirection 589–593
- reference return type 377
- reference variable 162, 373
 - used as pointer 380
- referential integrity 171
 - on server 171
- regular expressions 339
 - see also* MATCH
 - how to write 551
 - testing 553
- RelationManager, *see* ABC, RelationManager
- relationship, one-to-many 244
- relationships, many-to-many 31, 49
- ReleaseDC 74, 91
- report
 - filtering 411
 - using MATCH 549
 - position
 - adjusting 541
 - saving 542
 - user input 543
 - using a QUEUE 407
- reset fields 35, 50
- RI, *see* referential integrity
- RTF control 597

S

- scrollbar 95
 - creating 96
- ScrollWindow 95
- ScrollWindowEX 95
- search
 - using PROP, SQL 177
- security
 - duplicate configuration files 300
 - obfuscation 300
 - phrase generator 601
- SELECT DISTINCT in TPS database 189

- SelectObject 74, 92
- self-upgrading applications 561
- SETPOSITION 6
- SetWindowLong 432
- SetWindowPos 108
- SetWindowRgn 69
- SetWindowsHookex 305
- Shell_NotifyIcon 101, 107, 108
- SIZE, vs LEN 377
- Slarve, Jeff 457
- SORT 314
- Spock, Mr. 162
- SQL
 - case sensitivity 171
 - converting to 169
 - creating script 172
 - date fields 171
 - functions in filter 178
 - key components 170
 - memos 170
 - performance 171
 - SELECT DISTINCT in TPS database 189
 - time fields 171
 - unique key 171
- stack
 - frame 498
 - getting return address from 484
 - parameters on 287
 - parameters passed on 289
- stack memory 497–512
- standard date, *see* Clarion, standard date
- Standard Template Library
 - Input File Stream 291
 - Output File Stream 291
 - String 291
- standard time, *see* Clarion, standard time
- StarDate 421
- START, in dynamically loaded DLL 479
- STATIC attribute 348
- static data, storage 508
- StretchBlt 95
- STRING
 - see also* &STRING
 - as array 203
 - AUTO attribute 373
 - converting to CSTRING 367
 - data type 371
 - length of 378
 - memory usage 372
 - parsing 201
 - class 209
 - performance 372
 - size of 378
 - slicing 203
 - and references 374
 - substring 203
 - vs CSTRING 373
- string
 - concatenating 467
 - detecting match 321
 - parsing 477
 - tokens 477
 - word wrapping 425
- STRPOS 554
- SUB 475
 - searching backwards 475
- subclassing 19, 94, 103, 429–437
 - a window 431
 - and class methods 433
 - and global queue 436
 - controls 431
 - defined 430
 - detecting mouse movement 431
 - example 433
 - installing message handler 432
 - listbox 22
 - message handling procedure 432
 - multiple instances 436
 - returning messages 433
 - vs. hooks 304
- synchronizer, *see* database synchronizer
- system hook, *see* hook 303

- system tray 99
 - add icon 103
 - event handling 103
 - icon in 101
 - minimizing application to 107
 - remove icon 103

T

- table

- see also* file
 - OWNER attribute 174

- template

- calculator 353
 - class definition 114
 - class wrapper 231
 - creating 231
 - constructing a queue 192
 - control, writing 113
 - copying fields 275
 - data 114
 - development workflow 237
 - embed point, creating 227
 - embed points 114
 - equates for omissible parameters 447
 - extension 190
 - filtering duplicate records 190
 - generalizing variables 239
 - generating correct object name 236
 - generating embeds 235
 - generating embeds for non-virtual methods 235
 - generating parent method calls 234
 - including standard prompts 233
 - initializing tokens 118
 - language
 - #ACCEPT 193
 - #AT 113, 120, 194, 271, 357
 - creating 227, 237
 - #ATSTART 113, 194, 233
 - #BUTTON 191, 271
 - MULTI 191

- #CALL 116, 120, 233, 234, 235
 - #CASE 193
 - #CONTROL 113, 116
 - #DECLARE 192
 - #DISPLAY 271
 - #ENABLE 357
 - #ENDAT 113
 - #EQUATE 116
 - #ERROR 194
 - #EXTENSION 260, 357
 - #FIX 236, 244
 - #FOR 192, 193, 244, 248, 249, 277
 - #GROUP 113, 114, 192, 232
 - #IF 248
 - #INCLUDE 227, 260, 270
 - #INSERT 121, 192, 233
 - #PREPARE 113, 116, 117, 118, 233
 - #PROCEDURE 193
 - #PROJECT 301, 357
 - #PROMPT 244, 254
 - #REJECT 193
 - #RESTRICT 191, 193
 - #SELECT 243, 244
 - #SERVICE 233
 - #SET 115, 119, 192, 193, 245
 - #TEMPLATE 270, 357
 - #WITH 233
 - FORMAT 119
 - WHERE 234, 235, 244
- list box, extracting format 119
- many-to-many checkboxes 238
- marked deleted records 183
- multi-valued symbols 242
- preserving procedure variables 267
- report preview 255
- requiring other template 238
- string wrapping 428
- symbol hierarchy 241
- symbols 114
 - %ActiveTemplateInstance 121, 232, 234, 358

- %ActiveTemplateType 251
- %ActualDefaultBaseClassType 117
- %AddModuleIncludeFile 120
- %AfterGlobalIncludes 358
- %Application 241, 249
- %ApplicationTemplate 249
- %ApplicationTemplateInstance 249
- %AtCustomGlobalDeclarations 118
- %Atheight 119
- %Atwidth 119
- %BrowserMethodCodeSection 228, 239
- %ClassItem 117, 233, 236
- %ClassLines 114, 117, 120
- %ClassMethods 119
- %ClassPrompts 118, 233
- %ConstructQueue 114, 121, 192
- %ConstructQueueType 120, 121
- %Control 241
- %ControlField 243
- %ControlFrom 243, 244
- %ControlInstance 239, 358
- %CustomGlobalDeclarations 357
- %CustomModuleDeclarations 22
- %CustomModuleMapModule 22
- %CustomModuleMapProcedure 22
- %CustomModuleMapProcedurePrototype 22
- %DataSection 114, 119
- %DefaultBaseClassType 117
- %DictionaryFile 241, 242
- %Field 241
- %FieldDisplayChoices 251
- %FILE 244
- %File 242, 244, 249
- %FileDropAfterWindowOpening 119
- %FileDropAtStart 118
- %FileDropMethodCodeSection 120
- %FileDropObjectName 118, 119
- %GatherObjects 113, 119, 234
- %GenerateClassDefinition 120
- %GenerateVirtuals 232, 234, 235
- %GetNewControlManager 120, 121
- %GetQueueDataType 192
- %Key 244
- %KeyField 244
- %KeyPrimary 244
- %ListQueue 192
- %LocalClassData 114, 120
- %LocalDataClasses 114, 234
- %LocalProcedures 114, 120
- %MakeDeclr 115
- %Mbreif 118
- %MultiboxMethodCodeSection 114
- %MultiboxType 116
- %MyClassMethodCodeSection 234
- %OOPHiddenPrompts 117
- %OOPPrompts 232
- %ParentCallValid 235
- %pClassMethod 235
- %pClassMethodPrototype 235
- %PreserveVar 273
- %Primary 116, 244
- %Procedure 241, 249
- %ProcedureRoutines 234
- %ProcedureTemplate 193
- %QueueField 192
- %QueueFieldAssignment 192
- %RangeLimit 119
- %ReadABCFiles 233, 234
- %Relation 241, 244, 250
- %RelationKeyField 250
- %SetClassItem 233, 234
- %SetOOPDefaults 116, 118, 233
- %ValueConstruct 115, 193
- %Window 241
- %WindowManagerMethodCodeSection 240, 271
- understanding symbols 237
- user defined views 245
- utility 279

- field search 279
- writing 268, 275, 356
 - control 358
 - extension 358
 - viewing symbols 247
 - writing methods 234
- Template Wizatron/Writer 253
- template writing 253
 - viewing multivalued symbols 251
 - viewing symbols in Excel 248
- TEXT, and word wrapping 426
- text, color 87
- ThisWindow, *see* ABC, ThisWindow
- thread manager 457
- time
 - see also* Clarion standard time
 - calculating 413
 - checking 293
 - combined with date 421
 - stamping 293
- timer 417
 - inactivity 303, 418
- TopSpeed C++ 285
- TopSpeed calling convention, *see* calling convention, TopSpeed
- TXA
 - editing 258
 - export 257
 - import 258
 - importing 261
- TXD
 - editing 170
 - importing 170
- TYPE attribute 110, 133, 368, 464

U

- UNC path 567, 589
- unique key 56, 150, 171, 411
- UpdateWindow 95
- upgrading applications 561

- user event
 - see*
 - EVENT, User
- user interface
 - design 3
 - Quicken style 3
- utility template, *see* template, utility

V

- variable parameter 376
- variables
 - finding unused 517
 - global 406
- variant data types 163
- VIEW
 - creating 128
 - generated 119
 - JOIN 136
 - PROJECT 136
- View
 - importing 129
 - JOIN 50
- view
 - creating 127
 - importing 127
- virtual method
 - and #AT statement 227
 - and templates 234
 - as placeholder 391
 - calling parent 42
 - creating 180
 - using 93
- VitRegMatch 342

W

- web access, with PHP 569
- WHAT 389, 394
 - and reference assignments 398
 - syntax 397
- WHERE 389, 394

- syntax 399
- WHO 389, 394
 - inspecting OVERed fields 397
 - usage 395
 - vs PROP, Label 396
- Whorf's Hypothesis 339
- window
 - changing Z order 108
 - elliptical 67
 - handle 90
 - recording size 123
 - repainting 11
 - splash 69
 - timer 13
- WindowComponent, *see* ABC, WindowComponent
- WindowManager, *see* ABC, WindowManager
- WindowResize template 15
- Windows, messages 303
- Windows API
 - _strtok 477
 - BeginPaint 95
 - Bit Block Transfer 92
 - BitBlt 93
 - CallWindowProc 20, 103, 108, 433
 - GPF 435
 - CreatebrushIndirect 93
 - CreateCompatibleDC 92
 - CreateEllipticRgn 68
 - CreateFile 168
 - CreateFileMapping 307
 - CreateSolidBrush 74
 - DeleteObject 74, 92
 - device context 75, 91
 - drawing with 75
 - stock objects 75
 - device dependent bitmap 90
 - device independent bitmap 89
 - EndPaint 95
 - fn_split 466
 - FreeEnvironmentStrings 380
 - GetComputerName 564
 - GetCursorPos 74
 - GetDC 74, 91
 - GetDesktopWindow 91
 - GetDeviceCaps 74
 - GetEnvironmentStrings 380
 - GetLastInputInfo 304
 - GetModuleHandle 481
 - GetPixel 74
 - GetProcAddress 482
 - GetStockObject 74
 - GetTickCount() 306
 - GetWindowRect 6, 7, 68, 74
 - GlobalAlloc 168
 - InvalidateRect 11, 15, 23
 - InvalidateRectangle 94
 - IsDebuggerPresent 522
 - LoadImage 100, 108
 - LoadLibrary 480
 - MapViewOfFile 307, 309
 - MoveWindow 96
 - MulDiv 96
 - passing references to 465
 - POINT 77
 - prototyping 8
 - ReadFile 168
 - RECT 5, 7, 12, 68, 77
 - Rectangle 74
 - ReleaseDC 74, 91
 - ScrollWindow 95
 - ScrollWindowEX 95
 - SelectObject 74, 92
 - SetWindowLong 432
 - SetWindowPos 108
 - SetWindowRgn 69
 - SetWindowsHookex 305
 - Shell_NotifyIcon 101, 107, 108
 - StretchBlt 95
 - UpdateWindow 95
 - WM_HSCROLL message 430
 - WM_Hscroll message 94

- WM_Paint message 95
- WM_VSCROLL message 430
- WM_Vscroll message 94
- WNetGetUser 564
- WM_HSCROLL message 430
- WM_Hscroll message 94
- WM_Paint message 95
- WM_VSCROLL message 430
- WM_Vscroll message 94
- WNetGetUser 564
- word processor, writing 595
- word wrapping 425
- writing templates, *see* template

X

- Xitami 570
- XML 371, 385
 - Expat SAX parser 291

Z

- Z order, changing 108

